## **EAST Search History**

## **EAST Search History (Prior Art)**

| Ref# | Hits | Search Query   | DBs   | Default<br>Operator | Plurals | Time Stamp          |
|------|------|--|---|---------------------|---------|---------------------|
| L1   | 2    | "20020086706" and<br>"SMS" and "server" and<br>"mobile device"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/04/09<br>13:20 |
| L2   | 2    | "20020086706" and "SMS" and "server" and "mobile device" and "WAP" and "internet"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/04/09<br>13:20 |
| L3   | 2    | "20020086706" and "SMS" and "server" and "mobile device" and "WAP" and "internet" and "wireless" and "communication"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/04/09<br>13:21 |
| L4   | 1    | "20020086706" and "SMS" and "server" and "mobile device" and "WAP" and "internet" and "wireless" and "communication" and "authentication"                              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/04/09<br>13:21 |
| L5   | 1    | "20020086706" and "SMS" and "server" and "mobile device" and "WAP" and "internet" and "wireless" and "communication" and "authentication" and "user id" and "password" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2010/04/09<br>13:21 |
| S1   | 3    | aberg.in. and stefan.in.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/08/14<br>20:47 |
| S2   | 7    | pakkala.in. and timo.in.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/08/14<br>20:48 |

| S3  | 1     | S1 and S2  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:48 |
|-----|-------|--|---|----|----|---------------------|
| S4  | 33527 | nokia.asn.   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:48 |
| S5  | 0     | S4 and S3  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:48 |
| S6  | 1101  | 726/5.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:50 |
| S7  | 2706  | 455/466.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:50 |
| S8  | 672   | 455/456.6.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:51 |
| S9  | 2     | "packet switched<br>network" near "wireless<br>terminal" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:51 |
| S10 | 10    | "packet switched<br>network" near "mobile<br>device"     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:53 |

| S11 | 1  | S10 and "user identification"                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:53 |
|-----|----|---|---|----|----|---------------------|
| S12 | 23 | 726/5.ccls. and "packet<br>switched network"        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:54 |
| S13 | 98 | 455/466.ccls. and<br>"packet switched<br>network"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:54 |
| S14 | 7  | 455/456.6.ccls. and<br>"packet switched<br>network" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:54 |
| S15 | 5  | S12 and "mobile device"                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:54 |
| S16 | 32 | S13 and "mobile device"                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:54 |
| S17 | 3  | S14 and "mobile device"                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:54 |
| S18 | 0  | S15 and "communication path"                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:55 |

|     |    |                                    |   |    |    | ·                   |
|-----|----|------------------------------------|---|----|----|---------------------|
| S19 | 4  | S16 and "communication path"       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:55 |
| S20 | 1  | S17 and "communication path"       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:55 |
| S21 | 2  | S14 and "short message service"    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:58 |
| S22 | 2  | S15 and "short message service"    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:58 |
| S23 | 21 | S16 and "short message<br>service" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:58 |
| S24 | 1  | S21 and "password"                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:58 |
| S25 | 2  | S22 and "password"                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:58 |
| S26 | 4  | S23 and "password"                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:58 |

| S27 | 1  | S26 and "MSISDN"                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:58 |
|-----|----|--------------------------------------|---|----|----|---------------------|
| S28 | 0  | S25 and "MSISDN"                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:58 |
| S29 | 0  | S24 and "MSISDN"                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>20:59 |
| S30 | 21 | "mobile user<br>authentication"      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:04 |
| S31 | 6  | S30 and "short message<br>service"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:04 |
| S32 | 1  | S31 and "packet<br>switched network" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:04 |
| S33 | 1  | S31 and "packet<br>switched"         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:05 |
| S34 | 3  | S31 and "packet"                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:05 |

| S35 | 7     | S30 and "MSISDN"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:06 |
|-----|-------|--|---|----|----|---------------------|
| S36 | 10    | "wireless user<br>authentication"                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:09 |
| S37 | 0     | S36 and "MSISDN"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:10 |
| S38 | O     | S36 and "mobile station<br>integrated services<br>digital network" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:10 |
| S39 | ····· | S36 and "wireless<br>application protocol"                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:13 |
| S40 | ····· | S36 and "intranet"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:13 |
| S41 | 9     | S36 and "encryption"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:13 |
| S42 | 8     | S30 and "encryption"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:13 |

| S43 | 0    | S21 and nokia.asn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:15 |
|-----|------|---|---|----|----|---------------------|
| S44 | 3    | S30 and nokia.asn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/08/14<br>21:15 |
| S45 | 2821 | "server" same "packet<br>switched network"                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:15 |
| S46 | 99   | "server" near "packet<br>switched network"                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:15 |
| S47 | 19   | "wireless terminal" near<br>"communication path"                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:15 |
| S48 | 1    | S46 and S47   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:16 |
| S49 | 81   | (wireless or mobile) adj<br>(terminal) near<br>"communication path" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:16 |
| S50 | 1    | S46 and S49   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:16 |

| S51 | 21 | "mobile user<br>authentication"                                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:16 |
|-----|----|---|---|----|----|---------------------|
| S52 | 12 | S51 and "packet"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:17 |
| S53 | 3  | S52 and "short message"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:17 |
| S54 | 2  | "mobile user<br>authentication" and<br>"packet switched<br>network" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:22 |
| S55 | 6  | "mobile user<br>authentication" and<br>"short message service"      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:22 |
| S56 | 1  | S55 and "mobile station<br>integrated services<br>digital network"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:22 |
| S57 | 5  | S55 and "MSI SDN"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:22 |
| S58 | 1  | S57 and "personal identity number"                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:23 |

| S59 | 1   | S57 and "PIN"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:23 |
|-----|-----|---|---|----|----|---------------------|
| S60 | 1   | S57 and "wireless<br>application protocol"                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:23 |
| S61 | 1   | S57 and "WAP"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:23 |
| S62 | 5   | S57 and "URL"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:24 |
| S63 | 35  | "short message service"<br>near "short message<br>service center" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:25 |
| S64 | 336 | "mobile station<br>integrated services<br>digital network"        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:26 |
| S65 | 0   | S63 and S64   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:26 |
| S66 | 8   | S63 and "MSISDN"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:26 |

| S67 | 0   | "packet switched<br>network" near "mobile<br>user"       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:32 |
|-----|-----|--|---|----|----|---------------------|
| S68 | 50  | "packet switched<br>network" same "mobile<br>user"       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:32 |
| S69 | 19  | S68 and "authentication"                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:33 |
| S70 | 1   | S69 and "password"                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:33 |
| S71 | 3   | S68 and "password"                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:34 |
| S72 | 0   | "mobile user" near<br>"wireless application<br>protocol" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:36 |
| S73 | 155 | "mobile user" same<br>"wireless application<br>protocol" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:36 |
| S74 | 4   | "mobile user" same<br>"WAP services"                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:37 |

| S75 | 448  | "mobile user" same<br>"WAP'                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:41 |
|-----|------|---|---|----|----|---------------------|
| S76 | 0    | S75 same "MISISDN"                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:41 |
| S77 | 1    | S75 same "MSISDN"                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:42 |
| S78 | 20   | S75 and "MSISDN"                              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:42 |
| S79 | 16   | S78 and "short message<br>service"            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/01/30<br>16:42 |
| S80 | 216  | "short message service"<br>near (WAP or GMSC) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/08/11<br>11:12 |
| S81 | 1200 | "SMS" near (WAP or<br>GMSC)                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/08/11<br>11:12 |
| S82 | 17   | S80 and "user<br>identification"              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/08/11<br>11:12 |

| S83 | 8    | S82 and "mobile station"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/08/11<br>11:13 |
|-----|------|---|---|----|----|---------------------|
| S84 | 835  | "short message service"<br>near (wireless<br>application protocol or<br>GMSC) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/08/11<br>11:20 |
| S85 | 3564 | "SMS" near (wireless application protocol or GMSC)                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/08/11<br>11:20 |
| S86 | 2458 | "short message service"<br>same (WAP or GMSC)                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/08/11<br>11:20 |
| S87 | 11   | S80 and "email account"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/08/11<br>11:20 |
| S88 | 2    | "20020086706"   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2010/04/09<br>12:00 |

## 4/9/10 1:21:33 PM

 $\textbf{C:} \ \, \textbf{Documents and Settings} \ \, \textbf{CFields} \ \, \textbf{My Documents} \ \, \textbf{EAST} \backslash \ \, \textbf{Workspaces} \backslash \ \, \textbf{mobile user authentication.wsp}$